

MICROCOPY RESOLUTION TEST CHART NATIONAL BUREAU OF STANDARDS 1963 A

83 APR edition may be used until exhausted.
All other editions are obsolete.

217-333-0695

SECURITY CLASSIFICATION OF THIS PAGE
Unclassified

Unclassified

22b. TELEPHONE (Include Area Code) 22c. OFFICE SYMBOL

☐ DTIC USERS

WUNCLASSIFIED/UNLIMITED SAME AS RPT.

22a NAME OF RESPONSIBLE INDIVIDUAL

Gary B. Schuster

**DD FORM 1473, 84 MAR** 

OFFICE OF NAVAL RESEARCH

Contract N00014-86-K-0428

R&T Code 413a001~~~01

Technical Report No. 41

Salt Effects in Photoinduced Electron Transfer Reactions

by

QUALITY INSPECTED

Gary B. Schuster and Barbara Goodson

Prepared for Publication

in

Tetrahedron Letters

University of Illinois Department of Chemistry Urbana, IL

September 14, 1986



Reproduction in whole or in part is permitted for any purpose of the United States Government

This document has been approved for public release and sale; its distribution is limited.

#### SALT EFFECTS IN PHOTOINDUCED ELECTRON TRANSFER REACTIONS

Barbara Coodson and Gary B. Schuster\*

Department of Chemistry, Roger Adams Laboratory

University of Illinois, Urbana, IL 61801-3731

Summary: Metal salts and oxygen react synergistically to inhibit back-electron-transfer in photoinduced reactions.

The upsurge of interest in electron-transfer mediated photoreactions of organic compounds has engendered new efforts to control the outcome of these processes. One of the more significant results is the discovery that added salts can greatly affect the products of these reactions. In one of the most striking examples of this phenomenon, Mizuno, Otsuji, and coworkers recently reported that the photooxidation of several biphenyl derivatives is enhanced by the addition of  $Mg(ClO_4)_2$ . Other, perhaps related, effects of added salts have been reported by several other groups including our own. Herein we describe experiments that identify the root cause of some salt effects as the dramatic increase in the lifetime of free radical cations as a consequence of the inhibition of back electron transfer.

There are two distinct roles that salts might play in the enhancement of electron-transfer mediated photoreactions. The salt might increase the efficiency for formation of free radical ions after the initial electron transfer event. Or, the salt could act to increase the lifetime of the reactive radical ions after they are formed. These two possibilities can be easily distinguished with the laser techniques we have developed.

The fluorescence of 1,4-dicyanonaphthalene (DCN) in acetonitrile solution is quenched by trans-stilbene (TS) or by 4,4'-dimethoxybiphenyl (DMB) at the diffusion limited rate. This is not a surprise since the Weller approach predicts that electron transfer in these examples will be exothermic by 12.9 and 17.8 kcal/mol respectively. Operation of the electron transfer scenario is confirmed with the observation of the expected radical ions by laser transient absorption spectroscopy. Figure 1 shows the absorption spectrum recorded ca. 500 ns after irradiation of DCN

in acetonitrile containing TS. The absorption with an apparent maximum at 390 nm is assigned to the dicyanonaphthalene radical anion (DCN-)7 and that at 470 nm to the trans-stilbene radical cation (TS:).8 When DMB is employed as the electron donor, its radical cation (DMB:) is observed at 430 nm.9 The relative yields of these radical ions is readily estimated from their characteristic absorbances at early time in the experiment (<200 nsec) when their formation is complete, but no significant consumption has occured.

The lifetimes of the DCN- and TS: (or DMB:) in the absence of an added trapping agent are apparently limited by back-electron-transfer. This is evidenced by the clean second-order reaction kinetics exhibited for consumption of these ions. A typical curve is shown on Figure 2, and the data are summarized in the Table.

Table: Relative Yields and Lifetimes of Radical Ions with Various Additives

Additives				ODa		k	2/c(cm/sec) <sup>b</sup>	
3	2	DCN -	TS :	DCN ?	DMB *	DCN-T	; st	DHB :
		0.057	0.057	0.10	0.25	(1.31±.18)x10 <sup>6</sup>	9.28x10 <sup>5</sup>	(1.13±.05)x10 <sup>6</sup>
02		NDe	0.042	ND	0.16	ND	(2.68±1.1)x10 <sup>5</sup>	(1.83±.16)x10 <sup>4</sup>
Mg(C104)2, .001 M	<u></u>					3.82x10 <sup>5</sup>		4.47x10 <sup>5</sup>
Mg(C104)2, .01 M						1.42x10 <sup>5</sup>		1.78x10 <sup>5</sup>
Mg(C104)2, .3 M		0.097	0.084	0.14	0.36	(4.53±3.1)x10 <sup>4</sup>	(1.99±.99)x10 <sup>5</sup>	(9.34±.37)x10 <sup>4</sup>
TBAC104d		0.093	0.085	0.21	0.37	(6.24±1.8)x10 <sup>5</sup>	6.39x10 <sup>5</sup>	5.78x10 <sup>5</sup>
Mg(C10 <sub>4</sub> ) <sub>2</sub> , .3 M	02	ND	0.066	ND	0.27	ND	(2.92±,1.1)x10 <sup>4</sup>	(2.42±.74)x10 <sup>3</sup>
TBAC104	02	ND	0.058	ND	0.13	ND	1.22x106	(9.46±.58)×10 <sup>5</sup>

a) Change in absorbance at wavelength characteristic of the radical ion, proportional to its initial


Examination of the Table reveals three significant points concerning the influence of salts and oxygen as additives on the behavior of the radical ions. First, addition of the salt  $(Mg(ClO_{ij})_2)$  or TBAClO $_{ij}^{10}$ ) does not result in an increase in the yield of radical ions (compare  $\Delta ODs$ ). Second, addition of Mg(ClO $_{\mu}$ ) $_2$ , but not TBAClO $_{\mu}$ , causes the lifetime of TS $^{\ddagger}$  (or TMB $^{\ddagger}$ ) to increase ca. tenfold. Third, when the solution contains both  $O_2$  and  $Mg(ClO_H)_2$ , the lifetime of TS: (or TMB:) increases another 10-100 fold. These effects can be easily rationalized.

We propose that Mg<sup>+2</sup>, but not TBA<sup>+</sup>, forms a complex with DCN<sup>-</sup> that slows the rate of back electron transfer between DCN- and TS: (or DMB:). This, of course, increases the lifetime of the radical cation. The greatest increase in the radical cation lifetime is observed when both  $Mg(ClO_{ij})_2$  and  $O_2$  are present. We suggest that this is a consequence of two reactions: first,

b) Bimolecular rate constant for consumption of the radical ion divided by the extinction coefficient of the ion (generally unknown) at the monitored wavelength. Values without standard deviations are from single measurements.

c) Solutions were saturated with O<sub>2</sub> by bubbling for 2 minutes.
 d) 0.3 M tetra-n-butylammonium perchlorate.

e) Not detected because of the rapid quenching of DCN  $\overline{\cdot}$  by  $0_2$ .






Figure 1. Transient absorption spectrum following laser flash photolysis of a system containing  $1\times10^{-5}$  M DCN and  $2\times10^{-2}$  M TS in CH<sub>3</sub>CN.

Figure 2. Plot of second-order fit of absorption decay of DMB<sup>‡</sup> (generated by laser photolysis of an  $O_2$ -saturated solution containing  $1\times10^{-5}$  M DCN,  $2\times10^{-2}$  M DMB, and 0.3 M Mg( $C1O_A$ )<sub>2</sub> in acetonitrile).

electron transfer from DCN. to  $O_2$  to form  $O_2^-$ , and then complexation of  $Mg^{+2}$  with superoxide. The magnesium superoxide thus formed must be an especially ineffective electron donor to  $TS^{\frac{1}{2}}$  (or DMB.).

In summary, our data reveal that added salts do not significantly increase the yield of ions formed in photo-induced electron transfer reactions in polar (CH<sub>3</sub>CN) solvent. The salt effect, and the synergistic  $O_2$  effect, operates through inhibition of back-electron-transfer. A related phenomenon has been reported for protic acids by Mattes and Farid. 11

#### REFERENCES AND NOTES

- S. L. Mattes and S. Farid, "Organic Photochemistry", Ed. A. Padwa, Dekker, New York (1983).
   R. S. Davidson, Adv. Phys. Org. Chem., 19, 1 (1983).
- 2) K. Mizuno, N. Ichinose, T. Tamai, and Y. Otsuji, <u>Tetrahedron Lett.</u>, 26, 5823 (1985). K. Mizuno, N. Ichinose, and Y. Otsuji, <u>Chem. Lett.</u> (Japan), 445 (1985).
- 3) T. R. Evans, R. W. Wake, and M. M. Sifain, <u>Tetrahedron Lett.</u>, 701 (1973). K. Kalyanasundaram and M. Neumann-Spallart, Chem. Phys. Lett., 88, 7 (1982). N. Kitamura,

- S.-i. Imabayashi, and S. Tazuke, Chem. Lett. (Japan), 455 (1983). J. J. McCullough and S. Yeroushalmi, J. Chem. Soc., Chem. Commun., 254 (1983). F. D. Lewis, J. R. Petisce, J. D. Oxman, and M. J. Nepras, J. Am. Chem. Soc., 107, 203 (1985). J. M. Masnovi, A. Levine, and J. K. Kochi, J. Am. Chem. Soc., 107, 4356 (1985). J. L. Goodman and K. S. Peters, J. Am. Chem. Soc., 107, 6459 (1985). R. J. Hartley and L. R. Faulkner, J. Am. Chem. Soc., 107, 3436 (1985).
- 4) B. E. Goodson and G. B. Schuster, J. Am. Chem. Soc., 106, 7254 (1984).
- 5) K. A. Horn and G. B. Schuster, Tetrahedron, 38, 1095 (1982).
- 6) D. Rehm and A. Weller, Isr. J. Chem., 8, 259 (1970).
- 7) N. J. Peacock and G. B. Schuster, J. Am. Chem. Soc., 105, 3632 (1983).
- 8) L. T. Spada and C. S. Foote, <u>J. Am. Chem. Soc.</u>, 102, 391 (1980).
- 9) B. Grant, N. J. Clecak, M. Oxsen, A. Jaffe, and G. S. Keller, <u>J. Org. Chem.</u>, 45, 702 (1980).
- 10) Tetra-n-butylammonium perchlorate.
- 11) S. L. Mattes and S. Farid, J. Chem. Soc. Chem. Commun., 457 (1980).

Acknowledgment: This work was supported by the Office of Naval Research.

# 01/1113/86/2

# TECHNICAL REPORT DISTRIBUTION LIST, GEN

<u>9</u>	No. Copies		No. Copies
Office of Naval Research Attn: Code 1113 800 N. Quincy Street Arlington, Virginia 22217-5000	2	Dr. David Young Code 334 NORDA NSTL, Mississippi 39529	1
Dr. Bernard Douda Naval Weapons Support Center Code 50C Crane, Indiana 47522-5050	1	Naval Weapons Center Attn: Dr. Ron Atkins Chemistry Division China Lake, California 93555	1
Naval Civil Engineering Laboratory Attn: Dr. R. W. Drisko, Code L52 Port Hueneme, California 93401	1	Scientific Advisor Commandant of the Marine Corps Code RD-1 Washington, D.C. 20380	1
Defense Technical Information Center Building 5, Cameron Station Alexandria, Virginia 22314	12 high quality	U.S. Army Research Office Attn: CRD-AA-IP P.O. Box 12211 Research Triangle Park, NC 27709	1
DTNSRDC Attn: Dr. H. Singerman Applied Chemistry Division Annapolis, Maryland 21401	1	Mr. John Boyle Materials Branch Naval Ship Engineering Center Philadelphia, Pennsylvania 19112	1
Dr. William Tolles Superintendent Chemistry Division, Code 6100 Naval Research Laboratory Washington, D.C. 20375-5000	1	Naval Ocean Systems Center Attn: Dr. S. Yamamoto Marine Sciences Division San Diego, California 91232	1

### TECHNICAL REPORT DISTRIBUTION LIST, 051A

Dr. M. A. El-Sayed Department of Chemistry University of California Los Angeles, California 90024

別にこことでは 動物のみののかれ

Dr. E. R. Bernstein Department of Chemistry Colorado State University Fort Collins, Colorado 80521

Dr. J. R. MacDonald Chemistry Division Naval Research Laboratory Code 6110 Washington, D.C. 20375-5000

Dr. G. B. Schuster Chemistry Department University of Illinois Urbana, Illinois 61801

Dr. J.B. Halpern Department of Chemistry Howard University Washington, D.C. 20059

Dr. M. S. Wrighton
Department of Chemistry
Massachusetts Institute of Technology
Cambridge, Massachusetts 02139

Dr. A. Paul Schaap Department of Chemistry Wayne State University Detroit, Michigan 49207

Dr. W.E. Moerner I.B.M. Corporation Almaden Research Center 650 Harry Rd. San Jose, California 95120-6099

Dr. A.B.P. Lever Department of Chemistry York University Downsview, Ontario CANADA M3J1P3

Dr. John Cooper Code 6173 Naval Research Laboratory Washington, D.C. 20375-5000 Dr. George E. Walrafen Department of Chemistry Howard University Washington, D.C. 20059

Dr. Joe Brandelik AFWAL/AADO-1 Wright Patterson AFB Fairborn, Ohio 45433

Dr. Carmen Ortiz Consejo Superior de Investigaciones Cientificas Serrano 121 Madrid 6, SPAIN

Dr. John J. Wright
Physics Department
University of New Hampshire
Durham. New Hampshire 03824

Dr. Kent R. Wilson Chemistry Department University of California La Jolla, California 92093

Dr. G. A. Crosby Chemistry Department Washington State University Pullman, Washington 99164

Dr. Theodore Pavlopoulos NOSC Code 521 San Diego, California 91232

Parassas consum MANAGER SYSTEM